



HOME APPLIANCES PRODUCT RANGE

REFRIGERATORS

ENTRY

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

Less Frost

540x 595x1 520

ST/N

A++

Mechanical Control

230 L

146 L

84 L

White

102

STANDARD CONFIGURATION

Less Frost
Fridge AC LED Lighting
Adjustable Tempered Glass
Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Maxifresh Preserver
V-Lift

COLOR OPTIONS







RETRO SERIES

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

No Frost

595x 660 x1860

T/SN

A++

Electronic

324 L

230

94 L

Retro

69

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
Water Dispenser
Natural Ion Tech
Maxifresh Preserver
Purebeam+
Metal Cooling

COLOR OPTIONS



















FRENCH DOOR

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

No Frost

840x 690 x 1790

T/SN

A+

Electronic

459 L

313 L

140 L

Inox

51

STANDARD CONFIGURATION

Multi Cooling NoFrost Technology
Electroinc Control (Inner Display)
Fridge LED Lighting (Top)
Tempered Glass Shelves (Fridge)
6 Door Racks (Fridge)
Sliding Trays (Freezer)
Freezer Shield
Egg Holders
Ice Tray
Chill Zone

COLOR OPTIONS



OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Fridge LED Lighting (Glass Shelves)
Hotstamp on the Glass Shelves
Hotstamp on the Door Racks
Hotstamp on the Drawers
Twisted Icematic
Portable Wine Holder
Natural Ion Tech
Maxi Fresh Preserver
Purebeam+
Water Dispenser





SIDE BY SIDE

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

No Frost

595 x 650 x 1860

T/SN

A+

Electronic

280 L

-

280 L

Dark Inox

72

STANDARD CONFIGURATION


- No Frost Cooling Tech
- Door Alarm
- Head Panel Display
- Ice Tray
- Transparent Accessories
- Freezer Shield
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Freezer LED Lighting
- Twisted Icematic

COLOR OPTIONS







<

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

No Frost

595 x 650x 1860

T/SN

A+

Electronic

380

380 L

-

Dark Inox

72

STANDARD CONFIGURATION


No Frost Cooling Tech
Door Alarm
Head Panel Display
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass
Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Chill Zone
Additional Crispers
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
Natural Ion Tech
Maxifresh Preserver
V-Lift
Metal Cooling

COLOR OPTIONS







TOS EVAPORATOR

Refrigeration System

Dimensions (W X Dx H) (Mm)

Climate Class

Energy Class

Control Type

Total Volume

Volume Refrigerator

Volume Freezer

Product Color

LOADING QTY (40' HC)

Static

595 x 600 x 1750

T/SN

A

Mechanical

248 L

-

248 L

Bonded Gray

73

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS



BTECH



TVS

MODEL

OS

DVB

SMART

USB/HDMI

PVR READY

WALL MOUNT KIT

LOADING QTY (40' HC)**32"HD DLED 660 SMART TV**

Android

HD DVBT2/C/S2(HEVC)

Yes


2 USB 3 HDMI

Yes

No

1348**CONNECTIVITY FEATURES**

HBBTV	YES
AMAZON PRIME VIDEO	YES
DISNEY+	YES
GOOGLE ASSISTANT WORKS WITH	YES
GOOGLECAST	YES
BLUETOOTH	YES
WIFI (INTERNAL)	YES
NETFLIX	YES



MODEL	43"UHD DLED 650 SMART TV
OS	Android
DVB	HD DVBT2/C/S2(HEVC)
SMART	Yes
USB/HDMI	2 USB 3 HDMI
PVR READY	Yes
WALL MOUNT KIT	No
LOADING QTY (40' HC)	495

CONNECTIVITY FEATURES	
HBBTV	YES
AMAZON PRIME VIDEO	YES
DISNEY+	YES
GOOGLE ASSISTANT WORKS WITH	YES
GOOGLECAST	YES
BLUETOOTH	YES
WIFI (INTERNAL)	YES
NETFLIX	YES




MODEL	55"UHD DLED 650SMART TV
OS	Android
DVB	HD DVBT2/C/S2(HEVC)
SMART	Yes
USB/HDMI	2 USB 3 HDMI
PVR READY	Yes
WALL MOUNT KIT	No
LOADING QTY (40' HC)	378

CONNECTIVITY FEATURES	
HBBTV	YES
AMAZON PRIME VIDEO	YES
DISNEY+	YES
GOOGLE ASSISTANT WORKS WITH	YES
GOOGLECAST	YES
BLUETOOTH	YES
WIFI (INTERNAL)	YES
NETFLIX	YES



MODEL	65"UHD DLED 660 SMART TV
OS	Android
DVB	HD DVBT2/C/S2(HEVC)
SMART	Yes
USB/HDMI	2 USB 3 HDMI
PVR READY	Yes
WALL MOUNT KIT	No
LOADING QTY (40' HC)	202

CONNECTIVITY FEATURES	
HBBTV	YES
AMAZON PRIME VIDEO	YES
DISNEY+	YES
GOOGLE ASSISTANT WORKS WITH	YES
GOOGLECAST	YES
BLUETOOTH	YES
WIFI (INTERNAL)	YES
NETFLIX	YES



MODEL	75"UHD DLED BMS UNB WCG SMART TV
OS	Android
DVB	HD DVBT2/C/S2(HEVC)
SMART	Yes
USB/HDMI	2 USB 3 HDMI
PVR READY	Yes
WALL MOUNT KIT	No
LOADING QTY (40' HC)	54

CONNECTIVITY FEATURES	
HBBTV	YES
AMAZON PRIME VIDEO	YES
DISNEY+	YES
GOOGLE ASSISTANT WORKS WITH	YES
GOOGLECAST	YES
BLUETOOTH	YES
WIFI (INTERNAL)	YES
NETFLIX	YES



AIR CONDITIONERS

Climate Class	T1
Energy Class	-
Compressor Type	Inverter
Capacity	12K BTU
Type	Cooling Only
LOADING QTY (40' HC)	272



Climate Class	T1
Energy Class	-
Compressor Type	Inverter
Capacity	9K BTU
Type	Cooling Only
LOADING QTY (40' HC)	272



INCLUDES THE INDOOR AND OUTDOOR UNITS, CONNECTION CABLES, CONNECTION PIPES(AL), POWER CABLES, INSTALLATION KIT

LENGTH TABLE

9/K/12K BTU;

1. LENGTH OF CONNECTION CABLES (METERS)

4 METERS

2. LENGTH OF CONNECTION PIPES(CU&AL) (METERS)

3,5 METERS

3. LENGTH OF POWER CABLES (METERS)

4 METERS

THE PARTS INCLUDED

INTERCONNECTION CABLE



COPPER & ALUMINIUM PIPE



POWER CABLE



INSTALLATION KIT

DECORATIVE TAPE



ANTI-VIBRATION RUBBER DAMPER



DRAIN APPARATUS



SCREW & FIXING PLUG GROUP



CONNECTOR TERMINAL



PLASTIC CABLE / PIPE HOLDER



WASHING MACHINES

PRODUCT TYPE	WASHING MACHINE
CAPACITY (KG)	8
CAPACITY (LT)	54
SPIN SPEED (RPM)	1400
COLOR:	DARK SILVER
PANEL	T3 TOUCH CONTROL
MOTOR TYPE	BLDC
ENERGY LABEL	A+++
DIMENSIONS (H x W x D)	84,5x59,7x55,7 mm
PACKAGING	Carton Box
40 HC Loading QTY	162

Programs

Number of programs on program knob	15
Cotton 90°	Yes
Cotton PW	Yes
Cotton 40	Yes
Cotton Eco	Yes
Eco 20°	Yes
Synthetics	Yes
Wool	Yes
Hand wash/Delicate	Yes
Rinse	Yes
Spin	Yes
Daily 60° 60 min.	Yes
Rapid 12 min w Twinjet	No
Rapid 15 min w/o Twinjet	Yes
Mix wash	Yes
Blouses / Shirts	Yes
Sports wear	Yes



Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



JOG DIAL

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



BOOMERANG CABINET

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.



PRODUCT TYPE	WASHING MACHINE
CAPACITY (KG)	10
CAPACITY (LT)	62
SPIN SPEED (RPM)	1400
COLOR:	DARK SILVER
PANEL	T3 TOUCH CONTROL
MOTOR TYPE	BLDC
ENERGY LABEL	A+++
DIMENSIONS (H x W x D)	84,5x59,7x58,2 mm
PACKAGING	Carton Box
40 HC Loading QTY	162

Programs

Number of programs on program knob	15
Cotton 90°	Yes
Cotton PW	Yes
Cotton 40	Yes
Cotton Eco	Yes
Eco 20°	Yes
Synthetics	Yes
Wool	Yes
Hand wash/Delicate	Yes
Rinse	Yes
Spin	Yes
Daily 60° 60 min.	Yes
Rapid 12 min w Twinjet	No
Rapid 15 min w/o Twinjet	Yes
Mix wash	Yes
Blouses / Shirts	Yes
Sports wear	Yes



Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



JOG DIAL

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



BOOMERANG CABINET

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.



PRODUCT TYPE	WASHER DRYER
CAPACITY (KG)	8/6
CAPACITY (LT)	60
SPIN SPEED (RPM)	1400
COLOR:	DARK SILVER
PANEL	T3 TOUCH CONTROL
MOTOR TYPE	BLDC
ENERGY LABEL	A
DIMENSIONS (H x W x D)	84,5x59,7x58,2 mm
PACKAGING	Carton Box
40 HC Loading QTY	153

Programs

Number of programs on program knob	15
Cotton 90°	Yes
Cotton PW	Yes
Cotton 40	Yes
Cotton Eco	Yes
Eco 20°	Yes
Synthetics	Yes
Wool	Yes
Hand wash/Delicate	Yes
Rinse	Yes
Spin	Yes
Daily 60° 60 min.	Yes
Rapid 12 min w Twinjet	No
Rapid 15 min w/o Twinjet	Yes
Mix wash	Yes
Blouses / Shirts	Yes
Sports wear	Yes



Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



JOG DIAL

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



PEARL DRUM

New drum pattern which provides greater protection for your washing. Provides gentle washing for your clothes.



BOOMERANG CABINET

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.



PRODUCT TYPE	WASHER DRYER
CAPACITY (KG)	10/6
CAPACITY (LT)	62
SPIN SPEED (RPM)	1400
COLOR:	DARK SILVER
PANEL	T3 TOUCH CONTROL
MOTOR TYPE	BLDC
ENERGY LABEL	A
DIMENSIONS (H x W x D)	84,5x59,7x58,2 mm
PACKAGING	Carton Box
40 HC Loading QTY	153

Programs

Number of programs on program knob	15
Cotton 90°	Yes
Cotton PW	Yes
Cotton 40	Yes
Cotton Eco	Yes
Eco 20°	Yes
Synthetics	Yes
Wool	Yes
Hand wash/Delicate	Yes
Rinse	Yes
Spin	Yes
Daily 60° 60 min.	Yes
Rapid 12 min w Twinjet	No
Rapid 15 min w/o Twinjet	Yes
Mix wash	Yes
Blouses / Shirts	Yes
Sports wear	Yes



Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



JOG DIAL

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



PEARL DRUM

New drum pattern which provides greater protection for your washing. Provides gentle washing for your clothes.



BOOMERANG CABINET

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.



Twin Jet System

Better washing performance is achieved by directly injecting water with detergent using a recirculation system and two nozzles connected to it.



COOKERS

90 x 60 MIXED COOKER

90 x 60 MIXED COOKER	
GENERAL COLOUR	Inox
GAS COLLECTOR	Single
HOB CONFIGURATION	4 Gas 2 Electric
FLAME FAILURE DEVICE_HOB	Available
BURNER CAP	Mat Enamel 3D
PAN SUPPORT MATERIAL	Mat Enamel
PAN SUPPORT TYPE	S Type
WOK ADAPTER	Available
COFFEE SUPPORT	Enamel
LID	Standard Glass
LID TYPE	With Bumpers/Standard
IGNITION	Through Knob
CAVITY RACK TYPE	Wire Racks
OVEN CONTROL TYPE	Single Knob Control
GAS OVEN FUNCTION	Oven Burner Gas Grill
FLAME FAILURE DEVICE_OVEN	Turnspit Oven Light
CLEANING	Available
INSULATION	ETC Enamelled / Black
OVEN LAMP	Yellow
CHROME WIRE GRID	Back Lighting
OVEN LAMP ENERGY CLASS	1
SHALLOW TRAY	G
DEEP TRAY	1
NUMBER OF OVEN DOOR GLASS	1
INNER GLASS TYPE	Double
TURNSPIT SKEWER HOLDER	Fixed
TIMER	Wire Grid
DRAWER	N-Mechanical Minute Minder
ADJUSTABLE FEET	Flap Type with Comp.Base
ADJUSTABLE FEET HIDDEN	Feet (Black),85-90cm
PACKAGING	Adjustable Feet Hidden (Inox)
GAS CONNECTION GAS TYPE	Box (FLEXO, LOGO)
GAS CONVERSION KIT	LPG (G30-28/30 mbar)
POWER CORD&PLUG TYPE	NG (G20-20 mbar)
LOADING QTY (40 HC)	Europe Type
	123



90 x 60 GAS COOKER

90 x 60 MIXED COOKER	
GENERAL COLOUR	Inox
GAS COLLECTOR	Single
HOB CONFIGURATION	5 Gas Burner
FLAME FAILURE DEVICE_HOB	Available
BURNER CAP	Mat Enamel 3D
PAN SUPPORT MATERIAL	Mat Enamel
PAN SUPPORT TYPE	S Type
WOK ADAPTER	Available
COFFEE SUPPORT	Enamel
LID	Standard Glass
LID TYPE	With Bumpers/Standard
IGNITION	Through Knob
CAVITY RACK TYPE	Wire Racks
OVEN CONTROL TYPE	Single Knob Control
GAS OVEN FUNCTION	Oven Burner Gas Grill
FLAME FAILURE DEVICE_OVEN	Turnspit Oven Light
CLEANING	Available
INSULATION	ETC Enamelled / Black
OVEN LAMP	Yellow
CHROME WIRE GRID	Back Lighting
OVEN LAMP ENERGY CLASS	1
SHALLOW TRAY	G
DEEP TRAY	1
NUMBER OF OVEN DOOR GLASS	1
INNER GLASS TYPE	Double
TURNSPIT SKEWER HOLDER	Fixed
TIMER	Wire Grid
DRAWER	N-Mechanical Minute Minder
ADJUSTABLE FEET	Flap Type with Comp.Base
ADJUSTABLE FEET HIDDEN	Feet (Black),85-90cm
PACKAGING	Adjustable Feet Hidden (Inox)
GAS CONNECTION GAS TYPE	Box (FLEXO, LOGO)
GAS CONVERSION KIT	LPG (G30-28/30 mbar)
POWER CORD&PLUG TYPE	NG (G20-20 mbar)
LOADING QTY (40 HC)	Europe Type
	123



60 x 60 GAS COOKER

60 x 60 GAS COOKER	
GENERAL COLOUR	Silver
TIMER	N-Mechanical Minute Minder
USABLE CAVITY VOLUME	65 Lt/Big Cavity
CAVITY RACK TYPE	Wire Rack Easy Fix
CLEANING	ETC Enamelled / Black
INSULATION	Yellow
OVEN LAMP	Back Lighting
OVEN LAMP ENERGY CLASS	G
OVEN CONTROL TYPE	Single Knob Control
GAS OVEN FUNCTION	Oven Burner Gas Grill Turnspit Oven Light
GAS COLLECTOR	Single(Base)
GAS REGULATOR	Not Available
GAS CONNECTION GAS TYPE	LPG (G30-28/30 mbar)
GAS CONVERSION KIT	NG (G20-20 mbar)
FLAME FAILURE DEVICE_HOB	Available
FLAME FAILURE DEVICE_OVEN	Available
IGNITION	Through Knob
HOB CONFIGURATION	4 Gas
LID	Standard Glass
LID TYPE	With Bumpers/Standard
CONTROL PANEL AESTHETIC	3D Design
CONTROL PANEL TYPE	Standard Button
NUMBER OF OVEN DOOR GLASS	Double
INNER GLASS TYPE	Fixed
OVEN DOOR GLASS COLOUR	Black
FLAT GLASS PRINTING LOCATION	Rear(Standard)
DRAWER	4 Wheel Guided Drawer
BURNER CAP	Mat Enamel 3D
PAN SUPPORT TYPE	S Type
PAN SUPPORT MATERIAL	Mat Enamel
COFFEE SUPPORT	Yes
CHROME WIRE GRID	1
DEEP TRAY	1
SHALLOW TRAY	1
TURNSPIT SKEWER HOLDER	Wire Grid
ANTI-TIP BRACKET TYPE	Wall Type(Standard)
POWER CORD&PLUG TYPE	Europe Type
PACKAGING	Closed Box (FLEXO,LOGO)
LOADING QTY (40 HC)	144

